

<http://www.pioneerelectronics.com>

TS-G671M



RECYCLED  
PAPER  
PAPIER  
RECYCLE

6-1/2" GM 6-3/4"  
COMPATIBLE



(Cut along the dotted line to use as a mounting template.)  
(Couper le long des pointillés pour utiliser comme gabarit de montage.)  
(Corte a lo largo de la línea de puntos para utilizarla como una plantilla de montaje.)



**260 W**

Max. Music Power  
Puissance Musicale Maximum

- Full Depth Basket for Deep Bass /  
Corbeille Grande Profondeur pour Basses  
Profondes
- Fits 6-1/2" & 6-3/4" Applications /  
Convient Aux Applications 16 cm Et 17 cm
- 1-5/8" Film Cone Midrange /  
HP Médium À Cône En Film 42 mm
- IMPP Cone for High Rigidity /  
Cône IMPP pour Grande Rigidité

**6-1/2" 4-way Speaker / HP 4 Voies**

**Pioneer**

PIONEER CORPORATION

<http://www.pioneerelectronics.com>

**TS-G671M**


**260 W**

Max. Music Power  
Puissance Musicale Maximum

6-1/2" GM 6-3/4"  
COMPATIBLE

**XL/UC** ☐  
1 PAIR / 1 PAIRE

GROSS WEIGHT 1.94 kg 4 lb 4 oz  
POIDS BRUT 1,94 kg



- Full Depth Basket for Deep Bass / Corbeille Grande Profondeur pour Basses Profondes
- Fits 6-1/2" & 6-3/4" Applications / Convient Aux Applications 16 cm Et 17 cm
- 1-5/8" Film Cone Midrange / HP Médium À Cône En Film 42 mm
- IMPP Cone for High Rigidity / Cône IMPP pour Grande Rigidité

**6-1/2" 4-way Speaker / HP 4 Voies**

**Pioneer**

PIONEER CORPORATION

<http://www.pioneerelectronics.com>

**TS-G671M**


**260 W**

Max. Music Power  
Puissance Musicale Maximum

6-1/2" GM 6-3/4"  
COMPATIBLE

**XL/UC** ☐  
1 PAIR / 1 PAIRE

GROSS WEIGHT 1.94 kg 4 lb 4 oz  
POIDS BRUT 1,94 kg



- Full Depth Basket for Deep Bass / Corbeille Grande Profondeur pour Basses Profondes
- Fits 6-1/2" & 6-3/4" Applications / Convient Aux Applications 16 cm Et 17 cm
- 1-5/8" Film Cone Midrange / HP Médium À Cône En Film 42 mm
- IMPP Cone for High Rigidity / Cône IMPP pour Grande Rigidité

**6-1/2" 4-way Speaker / HP 4 Voies**

**Pioneer**

PIONEER CORPORATION



TS-G671M

260W MAX.

Flush-Mount Car Speaker  
6-1/2" (16 cm) COAXIAL 4-WAY


Haut-Parleurs À Montage Encastré  
Pour Automobile  
4 VOIES COAXIAL 16 cm

Altavoz De Montaje Al Ras Para  
Automóvil  
16 cm COAXIAL DE 4 VÍAS

Be sure to read this instruction manual before installing this speaker.  
Prière de lire obligatoirement ce manuel d'installation avant de monter les haut-parleurs.

Antes de instalar el altavoz es importante que lea estas instrucciones.


- EXAMPLE OF MOUNTING
- EXEMPLE DE MONTAGE
- EJEMPLO DE MONTAJE



●HOW TO INSTALL

●MODE D'INSTALLATION

●INSTALACION



●SPECIFICATIONS


- Reproduction system ..... Coaxial four way
- Speaker specifications
  - Woofer .....  $\phi$  158 mm (6-1/4" Dia.)  
Injection molded polypropylene cone  
Heat-resistant voice coil  
Strontium magnet: 250 g (8.6 oz)
  - Midrange .....  $\phi$  42 mm (1-5/8" Dia.)  
Strontium magnet: 19 g (0.7 oz)
  - Tweeter .....  $\phi$  10 mm (3/8" Dia.) Dome
  - Super tweeter .....  $\phi$  10 mm (3/8" Dia.) Dome
- Nominal impedance ..... 4  $\Omega$
- Maximum music power ..... 260 W
- Nominal power ..... 50 W
- Weight (per speaker including accessory parts) ..... 0.89 kg (1 lb 15 oz)
- Gross weight (2 speakers including packaging) ..... 1.94 kg (4 lb 4 oz)

●CARACTERISTIQUES

- Système de reproduction ..... Coaxial à 4 voies
- Spécifications des haut-parleurs
  - HP Grave .....  $\phi$  158 mm  
Cône en polypropylène moulé par injection  
Bobine mobile résistante à la chaleur  
Aimant en strontium: 250 g
  - HP Medium .....  $\phi$  42 mm  
Aimant en strontium: 19 g
  - HP Aigu .....  $\phi$  10 mm Dôme
  - HP S-Aigu .....  $\phi$  10 mm Dôme
- Impédance nominale ..... 4  $\Omega$
- Puissance musicale maximum ..... 260 W
- Puissance nominale ..... 50 W
- Poids (par haut-parleur pièces accessoires comprises) ..... 0,89 kg
- Poids brut (2 haut-parleurs emballage compris) ..... 1,94 kg

●ESPECIFICACIONES

- Sistema de reproducción ..... Coaxial de 4 vías
- Especificaciones del altavoz
  - Woofer .....  $\phi$  158 mm  
Cono de polipropileno moldeado por inyección  
Bobina de voz resistente al calor  
Imán de estroncio: 250 g
  - Altavoz de medios .....  $\phi$  42 mm  
Imán de estroncio: 19 g
  - Tweeter .....  $\phi$  10 mm Dome
  - Super Tweeter .....  $\phi$  10 mm Dome
- Impedancia nominal ..... 4  $\Omega$
- Máxima potencia de musica ..... 260 W
- Potencia nominal ..... 50 W
- Peso (por altavoz incluyendo accesorios) ..... 0,89 kg
- Peso bruto (2 altavoces incluyendo embalaje) ..... 1,94 kg



mm (in.)

Some cars may have mounting screw holes provided on the front doors. If these holes are available, use them to affix the unit with supplied screws.  
(Note: Use at least three screws.)  
If the tabs on the speaker basket get in the way, they can be cut off.

Certaines voitures peuvent être munies de trous pour vis de fixation sur les portières avant. Le cas échéant, employer ces trous pour fixer l'appareil avec des vis.  
(Note: Employer au moins trois vis.)  
Si les languettes sur le saladier de haut-parleur gênent, elles peuvent être coupées.

Algunos automóviles pueden tener orificios para los tornillos de montaje en las puertas delanteras. Si existen tales orificios, empléelos para fijar la unidad con tornillos.  
(Nota: Emplee tres tornillos por lo menos.)  
Si las orejetas del cesto del altavoz se pusieran en el camino, éstas se podrán cortar.

Register your product at / Enregistrez votre produit au : <http://www.pioneerelectronics.com>

© PIONEER CORPORATION 2006 4-1, MEGURO 1-CHOME, MEGURO-KU, TOKYO 153-8654, JAPAN / JAPON MADE IN MEXICO FABRIQUE AU MEXIQUE HECHO EN MEXICO

**⚠ WARNING :**

Handling the cord on this product or cords associated with accessories sold with the product will expose you to chemicals listed on proposition 65 known to the State of California and other governmental entities to cause cancer and birth defect or other reproductive harm.

*Wash hands after handling.*

**⚠ CAUTION**


1. Do not touch the speaker flexible wire ③.
2. Do not change the direction of the speaker terminal assembly ⑤.
3. Make sure lead and speaker terminals do not contact metal.
4. When making connections, refer also to the instruction manual of the car stereo used.

**⚠ ATTENTION**

1. Ne jamais toucher le fil flexible de haut-parleur ③.
2. Ne pas modifier l'orientation de plaquette de connexions du haut-parleur ⑤.
3. S'assurer que les fils et les bornes de haut-parleurs ne touchent pas une pièce métallique.
4. Le branchement s'opère après consultation de la notice d'instructions de l'autoradio qui est utilisé.

**⚠ PRECAUCION**

1. No se debe tocar el alambre flexible ③ del altavoz.
2. No cambiar la dirección del ensamblaje de terminal del altavoz ⑤.
3. Asegurarse de que los terminales del altavoz y el hilo conductor no están en contacto con el metal.
4. Para hacer la conexión consultar también el manual de instrucciones que se provee para el "reproductor".







- Do not fail to read the instructions on the flap to the opposite side.
- Ne manquez pas de lire les instructions sur le volet sur le côté opposé.
- Asegúrese de leer las instrucciones sobre la solapa al lado opuesto.

**● PARTS INCLUDED**

**● PIÈCES COMPRISES**

**● PIEZAS INCLUIDAS**



**⚠ WARNING**

Selecting fine audio equipment such as the unit you've just purchased is only the start of your musical enjoyment. Now it's time to consider how you can maximize the fun and excitement your equipment offers. PIONEER and the Electronic Industries Association's Consumer Electronics Group want you to get the most out of your equipment by playing it at a safe level. One that lets the sound come through loud and clear without annoying blaring or distortion — and, most importantly, without affecting your sensitive hearing.

Sound can be deceiving. Over time your hearing “comfort level” adapts to higher volumes of sound. So what sounds “normal” can actually be loud and harmful to your hearing. Guard against this by setting your equipment at a safe level BEFORE your hearing adapts.

**To establish a safe level :**

- Start your volume control at a low setting.
- Slowly increase the sound until you can hear it comfortably and clearly, and without distortion.

**Once you have established a comfortable sound level :**

- Set the dial and leave it there.

Taking a minute to do this now will help to prevent hearing damage or loss in the future. After all, we want you listening for a lifetime.

**We Want You Listening For A Lifetime**

Used wisely, your new sound equipment will provide a lifetime of fun and enjoyment. Since hearing damage from loud noise is often undetectable until it is too late, PIONEER ELECTRONICS and the Electronic Industries Association's Consumer Electronics Group recommend you avoid prolonged exposure to excessive noise. This list of sound levels is included for your protection.

**Decibel**

**Level Example**

- |    |   |
|----|---|
| 30 | Quiet library, soft whispers                                      |
| 40 | Living room, refrigerator, bedroom away from traffic              |
| 50 | Light traffic, normal conversation, quiet office                  |
| 60 | Air conditioner at 20 feet, sewing machine                        |
| 70 | Vacuum cleaner, hair dryer, noisy restaurant                      |
| 80 | Average city traffic, garbage disposals, alarm clock at two feet. |

**THE FOLLOWING NOISES CAN BE DANGEROUS UNDER CONSTANT EXPOSURE**

- |     |   |
|-----|---|
| 90  | Subway, motorcycle, truck traffic, lawn mower       |
| 100 | Garbage truck, chain saw, pneumatic drill           |
| 120 | Rock band concert in front of speakers, thunderclap |
| 140 | Gunshot blast, jet plane                            |
| 180 | Rocket launching pad                                |

Information courtesy of the Deafness Research Foundation.

- Do not fail to read the instructions on the flap to the opposite side.
- Ne manquez pas de lire les instructions sur le volet sur le côté opposé.
- Asegúrese de leer las instrucciones sobre la solapa al lado opuesto.

<http://www.pioneerelectronics.com>

TS-G671M

**260 W**  
Max. Music Power  
Puissance Musicale Maximum

6-1/2" GM 6-3/4"  
COMPATIBLE



**6-1/2" 4-way Speaker / HP 4 Voies**

**Pioneer**

PIONEER CORPORATION

<http://www.pioneerelectronics.com>

TS-G671M

**260 W**  
Max. Music Power  
Puissance Musicale Maximum

6-1/2" GM 6-3/4"  
COMPATIBLE



**6-1/2" 4-way Speaker / HP 4 Voies**

**Pioneer**

PIONEER CORPORATION